From: postmaster@grg.nsw.edu.au [postmaster@grg.nsw.edu.au]

Sent: 9/18/2019 10:37:59 PM

To: Ex. 6 Personal Privacy (PP)

Subject: Undeliverable: Requesting public comment on two Underground Injection Control (UIC) Draft Area Permits and one

associated proposed aquifer exemption decision for the Dewey-Burdock uranium in-situ recovery (ISR) site

Attachments: Requesting public comment on two Underground Injection Control (UIC) Draft Area Permits and one associated

proposed aquifer exemption decision for the Dewey-Burdock uranium in-situ recovery (ISR) site

Your message did not reach some or all of the intended recipients.

Subject:Requesting public comment on two Underground Injection Control (UIC) Draft Area Permits and one associated proposed aquifer exemption decision for the Dewey-Burdock uranium in-situ recovery (ISR) site Sent:9/18/2019 10:38:31 PM

The following recipient(s) cannot be reached:

```
Ex. 6 Personal Privacy (PP) on 9/18/2019 10:38:31 PM
```

Diagnostic code = MailRecipientUnknown; Reason code = TransferImpossible; Status code = 511 < #5.1.1 smtp;550 5.1.1 RESOLVER.ADR.RecipNotFound; not found>

Delivery has failed to these recipients or groups:

Ex. 6 Personal Privacy (PP)

The email address you entered couldn't be found. Please check the recipient's email address and try to resend the message. If the problem continues, please contact your helpdesk.

Diagnostic information for administrators:

Generating server: GRGMX01.bgs.local

Ex. 6 Personal Privacy (PP)

Remote Server returned '550 5.1.1 RESOLVER.ADR.RecipNotFound; not found'

Original message headers:

```
Received: from GRGMX01.bgs.local (2406:1600:200:205::227) by GRGMX01.bgs.local (2406:1600:200:205::227) with Microsoft SMTP Server (TLS) id 15.0.1497.2; Thu, 19 Sep 2019 08:37:59 +1000 Received: from smtp.grg.nsw.edu.au (10.1.1.4) by GRGMX01.bgs.local (192.168.0.81) with Microsoft SMTP Server id 15.0.1497.2 via Frontend Transport; Thu, 19 Sep 2019 08:37:59 +1000 Received: from mail-bl2gcc02on2095.outbound.protection.outlook.com ([40.107.89.95]:9824 helo=GCC02-BL0-obe.outbound.protection.outlook.com) by smtp.grg.nsw.edu.au with esmtps (TL3v1.2:ECDHE-RSA-AE3256-SHA384:256) (Exim 4.91) (envelope-from <Pobinson.Valois@epa.gov>) id 1iAia5-0002j0-R1
```

```
for isobel.depre@grg.nsw.edu.au; Thu, 19 Sep 2019 08:37:52 +1000
ARC-Seal: i=1; a=rsa-sha256; s=arcselector9901; d=microsoft.com; cv=none;
b=EWM4S42ocGXN4884GsfMTimCYnVw/yhllbUDvpzRaBvhNQmnOCfAEXigmfA05Z8eu5pmSygEOVENVoYU5xFsIEw
m3tHT5Q3E77YeS6KHMGW7dM/yowTTyiSw9hpwXesaf04YRDS0d7djoSDaVJTblslwAXFQIUF9RjkCdbqu3xi4+GiY
ikT0NP/F9h4EPdJrwni7vXrsliHK9x8cpORhYJvO7+UwtYsmUAJcQ3HcQZ8uLnkOsnDhuPtlX2D2cZX5AAwnS5pif
V40T9tLoj84plrmnlcAEsfM+JYo2rgcSl9iI//lok4SJboaNwlFwBfnfTkrVS3nlnstP6tDikN7Lw==
ARC-Message-Signature: i=1; a=rsa-sha256; c=relaxed/relaxed; d=microsoft.com;
 smarcselector9901;
 h=From:Date:Subject:Message-ID:Content-Type:MIME-Version:X-MS-Exchange-SenderADCheck;
 bh=NHiTle2GXvJF62JfJklJGikAhAp5P256ZEE+9MslFQA=;
b=CE2IpR1ZXhAyukpGlaHMFcYrRQIhHLZdmfTb819g+DkCHqjDwWlp9OdnJQKVeRCJOmNLaGkbdQCgjTLvMZB7rJR
/u3x2/AG4+2SiBog7PevJTwFT32UdAPqCV9TOs2CxqdXjFN/cdmi7pcnUnfiU7pQm8JMvjCGIcxHy2J/xsx4I9tOP
7dCE+Kyy/5Vl0P2MD2dP+NPq0Sigf22nSCDWiojjFrGfSK44bq3EVPYk4rP4rgyB0u4CQceDFa17rlH7Lt7dSWLcT
h0ozs/dRDKJC5AoH+7MeXi8jH4N2QRHVsNwNPX+qxcfYNnbVF0WmKd83B3HaIfa3pYXvLdKKgVfXA==
ARC-Authentication-Results: i=1; mx.microsoft.com 1; spf=pass
 smtp.mailfrom=epa.gov; dmarc=pass action=none header.from=epa.gov; dkim=pass
 header.d=epa.gov; arc=none
DKIM-Signature: v=1; a=rsa-sha256; c=relaxed/relaxed; d=epa.gov; s=selector2;
 h=From:Date:Subject:Message-ID:Content-Type:MIME-Version:X-MS-Exchange-SenderADCheck;
 bh=NHille2GXvJF62JfJklJGikAhAp5P256ZEE+9MslFQA=;
b=HVmekeSTh1Q0HlncGfqabM440+FmRR5EDiXkySXCslQrCmdV2D6QoOTUHlsEx1924Z68EynWooyOfvmA/EclLh3
mcMBnPwauHSlpboDnVrjT7F18Pmo4kh9XfvCW7YuD2P6lquHtkC8qjZVhHidR6v0px1UOn0TPa4CyIqe/ehQ=
Received: from DM6PR09MB4076.namprd09.prod.outlook.com (10.141.167.74) by
 DM6PR09MB2650.namprd09.prod.outlook.com (20.176.98.26) with Microsoft SMTP
 Server (version=TLS1 2, cipher=TLS ECDHE RSA WITH AES 256 GCM SHA384) id
 15.20.2284.18; Wed, 18 Sep 2019 22:37:42 +0000
Received: from DM6PR09MB4076.namprd09.prod.outlook.com
 ([fe80::9839:cd8:2688:2341]) by DM6PR09MB4076.namprd09.prod.outlook.com
 ([fe80::9839:cd8:2688:2341%3]) with mapi id 15.20.2284.009; Wed, 18 Sep 2019
 22:37:42 +0000
From: "Robinson, Valois" < Robinson. Valois@epa.gov>
Subject: Requesting public comment on two Underground Injection Control (UIC)
 Draft Area Permits and one associated proposed aquifer exemption decision for
 the Dewey-Burdock uranium in-situ recovery (ISR) site
Thread-Topic: Requesting public comment on two Underground Injection Control
 (UIC) Draft Area Permits and one associated proposed aquifer exemption
 decision for the Dewey-Burdock uranium in-situ recovery (ISR) site
Thread-Index: AdVucUzuBcSqyPn/RlmUEZ7+jIXOcg==
Date: Wed, 18 Sep 2019 22:37:40 +0000
Message-ID:
<DM6PR09MB4076AB5D75FBA1B735FFF801F48E0@DM6PR09MB4076.namprd09.prod.outlook.com>
Accept-Language: en-US
Content-Language: en-US
X-MS-Has-Attach: yes
X-MS-TNEF-Correlator:
authentication-results: spf=none (sender IP is )
smtp.mailfrom=Robinson.Valois@epa.gov;
x-originating-ip: [24.8.243.57]
x-ms-publictraffictype: Email
x-ms-office365-filtering-correlation-id: 5b3c9be3-4d81-4097-8f08-08d73c88d19c
x-microsoft-antispam:
BCL:0,FCL:0,RULEID:(2390118)(7020095)(4652040)(8989299)(4534185)(4627221)(201703031133081
)(201702281549075)(8990200)(5600167)(711020)(4605104)(1401327)(2017052603328)(49563074)(7
193020); SRVR: DM6PR09MB2650;
x-ms-traffictypediagnostic: DM6PR09MB2650:
x-ms-exchange-purlcount: 1
x-ld-processed: 88b378b3-6748-4867-acf9-76aacbeca6a7,ExtAddr
x-microsoft-antispam-prvs:
<DM6PR09MB265025E5D622989F97EA33ACF48E0@DM6PR09MB2650.namprd09.prod.outlook.com>
x-ms-oob-tlc-oobclassifiers: OLM:7219;
```

```
x-forefront-prvs: 01644DCF4A
x-forefront-antispam-report:
SEV:NSFM;SES: (10019020) (346002) (376002) (366004) (136003) (396003) (39860400002) (37874003) (19
9004) (189003) (733005) (66576008) (66946007) (66476007) (7696005) (6306002) (54896002) (6436002) (
6506007) (71200400001) (9686003) (55016002) (74316002) (86362001) (71190400001) (256004) (1444400
5) (5024004) (26005) (99936001) (1671002) (7736002) (236005) (99286004) (5660300002) (102836004) (1
86003) (66556008) (33656002) (606006) (881003) (790700001) (76116006) (2906002) (64756008) (525360
14)(66446008)(19627405001)(486006)(81166006)(14454004)(25786009)(8936002)(7276002)(736600
2) (81156014) (7406005) (3846002) (966005) (8676002) (7416002) (76576003) (478600001) (861006) (887
32003)(316002)(89122003)(6116002)(65686005)(66066001)(109986005)(7336002)(476003);DIR:OUT
;SFP:1102;SCL:1;SRVR:DM6PR09MB2650;H:DM6PR09MB4076.namprd09.prod.outlook.com;FPR:;SPF:Non
e; LANG: en; PTR: InfoNoRecords; A:1; MX:1;
received-spf: None (protection.outlook.com: epa.gov does not designate
permitted sender hosts)
x-ms-exchange-senderadcheck: 1
x-microsoft-antispam-message-info:
zzwqd+574qHw4umd9KGj+0E0uqOnrgYGWv6U9mjmSfufLGyd3kYL3e1H3hFzzrA87InMZY4gLPQk9KlTIvx+k613Y
Zzevud08XphV5qPlsZanLHvZ432IcBdXA+82o0ksXRcnJpoY0J8FW7rbmkh96bCJ42jnqaYB81xX18UdXyZS47ukT
8V5xHYFY9jsIFQBB18J4H0dhESm6gevzTCcF0Wv+uy446L+uIlqMgSdbRvhUBD7Fn9lwN51+clFlgkZJbtfJ9ZC4u
xPZ7xO72n7TfzE9tXNrmie41eoLIUqzstY9XmOc7DIQSYC/TkUEoijwT1J1MIOQ80KARfNqHX03n09qi/Ydea/t9V
KLzUFjqaaDsKX48aCvoDEFPWKKrsJBEOaLHlaNJK3ONjCdnWk+LS7lze+yFR3U90GBPW0JE=
x-ms-exchange-transport-forked: True
Content-Type: multipart/mixed;
       boundary="_006_DM6PR09MB4076AB5D75FBA1B735FFF801F48E0DM6PR09MB4076namp_"
MIME-Version: 1.0
X-MS-Exchange-CrossTenant-Network-Message-Id: 5b8c9be3-4d81-4097-8f08-08d73c38d19c
X-MS-Exchange-CrossTenant-originalarrivaltime: 18 Sep 2019 22:37:41.3489
 (UTC)
X-MS-Exchange-CrossTenant-fromentityheader: Hosted
X-MS-Exchange-CrossTenant-id: 88b378b3-6748-4867-acf9-76aacbeca6a7
X-MS-Exchange-CrossTenant-mailboxtype: HOSTED
X-MS-Exchange-CrossTenant-userprincipalname:
CdWo4BJH5PLdMhdJ0aK6NZv3/RTsepoz/foZebOqXMdum46VnqYFebFty0Zm11wWzawb9nbMQIOE9cZS/LjEBA==
X-MS-Exchange-Transport-CrossTenantHeadersStamped: DM6PR09MB2650
X-Sophos-IBS: success
X-CTCH-PVer: 0000001
X-CTCH-Spam: Unknown
X-CTCH-VOD: Unknown
X-CTCH-Flags: 0
X-CTCH-RefID:
str=0001.0A150207.5D82B1C1.0019,ss=1,re=0.000,recu=0.000,reip=0.000,cl=1,cld=1,fgs=0
X-CTCH-Score: 0.000
X-CTCH-ScoreCust: 0.000
X-CTCH-Rules:
X-Sophos-Firewall: smtpd v1.0
To: Undisclosed recipients:/
Return-Path: Robinson. Valois@epa.gov
```